

In the Claims:

1-123. Canceled.

124. (Previously presented) An isolated nucleic acid comprising:

- (a) a nucleic acid sequence encoding the polypeptide of SEQ ID NO: 207;
- (b) a nucleic acid sequence encoding the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide;
- (c) the nucleic acid sequence of SEQ ID NO: 206;
- (d) the full-length coding sequence of the nucleic acid sequence of SEQ ID NO: 206; or
- (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209951;

wherein said nucleic acid is amplified in a lung or colon tumor.

125. (Previously presented) The isolated nucleic acid of Claim 124 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO: 207.

126. (Previously presented) The isolated nucleic acid of Claim 124 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO: 207, lacking its associated signal peptide.

127-128. Canceled.

129. (Previously presented) The isolated nucleic acid of Claim 124 comprising a nucleic acid sequence of SEQ ID NO: 206.

130. (Previously presented) The isolated nucleic acid of Claim 124 comprising the full-length coding sequence of the nucleic acid sequence of SEQ ID NO: 206.

131. (Previously presented) The isolated nucleic acid of Claim 124 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 209951.

132-134. Canceled.

135. (Previously presented) A vector comprising the nucleic acid of Claim 119.

136. (Previously presented) The vector of Claim 135, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.

137. (Previously presented) A host cell comprising the vector of Claim 135.

138. (Previously presented) The host cell of Claim 57, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.

139. (Currently amended) An isolated nucleic acid molecule consisting of a fragment of the nucleic acid sequence of SEQ ID NO: 206, or a complement thereof of at least 20 nucleotides in length that hybridizes under stringent conditions to:

- (a) the nucleic acid sequence of SEQ ID NO:206 or a complement thereof;
- (b) the full-length coding sequence of the cDNA deposited under ATCC accession number 209951 or a complement thereof;

wherein, said stringent conditions use 50% formamide, 5X SSC, 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5X Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, and washes at 42°C in 0.2X SSC, at 55°C in 50% formamide followed by a high-stringency wash at 55°C in 0.1X SSC, EDTA; wherein said isolated nucleic acid molecule is suitable for use as a PCR primer or probe.

140. (Previously presented) The isolated nucleic acid molecule of Claim 139 that is at least 25 nucleotides or above in length.

141. (Previously presented) The isolated nucleic acid molecule of Claim 139 that is at least 30 nucleotides or above in length.

142. (Previously presented) The isolated nucleic acid molecule of Claim 139 that is at least 35 nucleotides or above in length.